Wear, *161* (1993) 227

Author Index of Volume 161

Arnold, J. C., 213

Bhatia, V. K., 193
Bisht, R. P. S., 193
Brown, C. A., 61

Capone, G., 121
Chandrasekaran, T., 105
Charles, P. D., 61
Chesters, S., 61
Chiao, Y. S., 155

D'Agostino, V., 121

Fegredo, D. M., 29
Furuichi, H., 17

Geng, G., 41
Guida, D., 121
Guo, D. Z., 173
Guzenkov, S. I., 79

Honda, F., 187
Horng, J. L., 155
Hutchings, I. M., 213
Hwang, C. C., 93

Ikada, Y., 179
Ikeuchi, K., 179

Jeng, M.-C., 111
Johnsen, W. A., 61

Kalousek, J., 29
Karamış, M. B., 199
Kazama, T., 161
Kishore, 105
Klimovich., A. F, 79
Komaraiah, M., 1
Kometani, T., 187

Langguth, K., 127
Levy, A. V., 41
Li, J. Z., 173

Lin, C. A., 155
Lin, J. R., 93
Lin, S. J., 155
Lin, T.-R., 145
Lu, W., 11
Luo, Q., 11

Michalski, J., 135

Nakajima, K., 187
Narasimha Reddy, P., 1
Norikane, H., 179

Ohsumi, T., 179

Pan, F. M., 155
Pawlus, P., 135

Rapoport, L., 23
Ryssel, H., 127

Saba, C. S., 87
Sakaguchi, Y., 207
Schmid, S. R., 207
Shehata, M. T., 29
Sivasankaran, G. A., 193
Smith, H. A., 87
Subramanian, C., 53

Takii, T., 179
Tomita, N., 179

Uyama, Y., 179

Valle, S. D., 121

Wang, B., 41
Wang, L. J., 173
Wang, Y., 69
Wilson, W. R. D., 207

Xie, J., 11

Yamaguchi, A., 161
Yan, L.-Y., 111

Elsevier Sequoia

Subject Index of Volume 161

Al_2O_3(p)–6061Al composites
  studies of Al_2O_3(p)–6061Al composites under dry sliding conditions using scanning electron microscopy, energy-dispersive spectrometry and X-ray diffractometry, 155
Alloy rail steel
  the effect of progressive minor spheroidization on the dry-wear rates of a standard carbon and a Cr–Mo alloy rail steel, 29
Alumina
  environmental effects on wear behaviour of alumina, 111
Aluminium–12.3wt.%silicon alloy
  on mechanical mixing during dry sliding of aluminium–12.3wt.%silicon alloy against copper, 53

Ball bearing steel
  effect of microstructure and hardness on the grinding abrasive wear resistance of a ball bearing steel, 105
Bearing and seal parts
  optimum design of bearing and seal parts for hydraulic equipment, 161
Brinkman-extended Darcy model
  lubrication of short porous journal bearings — use of the Brinkman-extended Darcy model, 93

Coimplantation
  wear of steels after implantation of aluminium and coimplantation of aluminium and oxygen ions, 127
Cooled 1018 steel
  erosion and corrosion of cooled 1018 steel, 41
Copper
  structure of repeatedly rubbed oxygen-free, high conductivity copper, 17
  on mechanical mixing during dry sliding of aluminium–12.3wt.%silicon alloy against copper, 53
Cu–Ni–Zn
  tribochemical characterization of the worn surface of the ternary system Cu–Ni–Zn, 187
Cylinder surfaces
  characterization of the shape of the roughness profile ordinate distribution of honed cylinder surfaces, 135

Dimethylacrylamide
  water lubrication of polyurethane grafted with dimethylacrylamide for medical use, 179
Dry-wear rates
  the effect of progressive minor spheroidization on the dry-wear rates of a standard carbon and a Cr–Mo alloy rail steel, 29

Electrophysical processes
  role of the environment in electrophysical processes occurring in polymer friction, 79
Environmental effects
  environmental effects on wear behaviour of alumina, 111

Ferrography
  ferrographic analysis of polyphenyl ether fluids, 87
Flour milling roller
  investigation of the wear failure mechanism of a flour milling roller, 11
Fractal analysis
  fractal analysis of topographic data by the patchwork method, 61

Hard coatings
  friction and wear performances of detonation-gun- and plasma-sprayed ceramic and cermet hard coatings under dry friction, 69

Implantation
  wear of steels after implantation of aluminium and coimplantation of aluminium and oxygen ions, 127

Jojoba oil
  additive properties of jojoba oil for lubricating oil formulations, 193
Journal bearings
  lubrication of short porous journal bearings — use of the Brinkman-extended Darcy model, 93

LiF single-crystal deformation
  peculiarities of LiF single-crystal deformation in Vaseline oil at elevated temperatures, 23
Low chromium white cast iron
  erosive wear of low chromium white cast iron, 173

Micropolar fluids
  analysis of film rupture and re-formation boundaries in a finite journal bearing with micropolar fluids, 145

Oil-in-water emulsions
  a dynamic concentration model for lubrication with oil-in-water emulsions, 207

Plasma-nitrided gearing steel
  experimental study of the abrasive wear behaviour of plasma-nitrided gearing steel, 199
Polymer friction
  role of the environment in electrophysical processes occurring in polymer friction, 79
Polyphenyl ether fluids
  ferrographic analysis of polyphenyl ether fluids, 87
Polyurethane
  water lubrication of polyurethane grafted with dimethylacrylamide for medical use, 179

Roughness
  characterization of the shape of the roughness profile ordinate distribution of honed cylinder surfaces, 135
Rubber
  erosive wear of rubber by solid particles at normal incidence, 213

Elsevier Sequoia

Stick–slip instability
  influence of the variation between static and kinetic friction on stick–slip instability, 121

Tool materials
  relative performance of tool materials in ultrasonic machining, 1

Ultrasonic machining
  relative performance of tool materials in ultrasonic machining, 1

Wear failure
  investigation of the wear failure mechanism of a flour milling roller, 11